XEROX.

Fax Cover Sheet

Urgent Delivery

RECEIVED **CENTRAL FAX CENTER**

Tο

DEC U 7 2005

Quana Mashell Grainger

United States Patent & Trademark Office

From-XEROX

Customer No.: 25453 Confirmation No.: 4013

Phone

Fax

571.272.2135

Date

12/7/2005

Time

571.273.8300

Page(s)

5

RE:

Application No.: 10/812,685

Attorney Docket No.: A3454-US-NP

Response to Office Action mailed 9/8/2005.

From

Lloyd F. Bean, II Senior Patent Counsel 100 Clinton Avenue South XRX2-20A

Rochester, NY 14644 Phone: 585.423.4520

585.423.5240 Fax:

Please Note: This facsimile message may contain information which is privileged, confidential, and exempt from disclosure under applicable laws and is intended only for the use of the individual named above and others who have been specifically authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of the communication is strictly prohibited. If you have received this communication in error, please notify immediately by telephone the intended recipient, Cathy Whitney (585)423.5764. Xerox will reimburse you for your telephone expense.

50708 (9/2004)

RECEIVED CENTRAL FAX CENTER

DEC 0 7 2005

Patent Application Attorney Docket No. A3454-US-NP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Martin J. Curynski et al.

Application No.: 10/812,685

Filed: March 30, 2004

From-XEROX

Examiner: Quana Mashell Grainger

Art Unit: 2852

Confirmation No.: 4013

Title: CORONA GENERATING DEVICE HAVING A

WIRE COMPOSITE

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF TRANSMISSION

hereby certify mat correspondence is being facsimile transmitted to the Patent and Trademark Office Fax No. 571-273-

8300 on

December 7, 2005 (Date of deposit)

Cathy Whitney (Name of applicant, assignee, or Registered Representotive)

December 7, 2005 Date of Signature

AMENDMENT UNDER 37 C.F.R. 1.111

In response to the Office Action mailed September 8, 2005, please amend the above-entitled application as follows: